




Piscinas y Decoraciones



Lucena S.L.



Productos fabricados por:

reviglass

CARACTERÍSTICAS TÉCNICAS




CARACTÉRISTIQUES TECHNIQUES

TECHNICAL DATA · TECHNISCHE DATEN

CONDICIONAMIENTO

CONDITIONNEMENT · PACKING · VERPACKUNG

MEDIDA MESURE SIZE FORMAT	PESO/M ² POIDS/M ² WEIGHT/M ² GEWICHT/M ²	PANELES/M ² PANNEAUX/M ² SHEETS/M ² TAFELN/M ²	MEDIDA PANEL MESURE PANNEAU SIZE OF SHEETS TAFELABMESSUNG	Q/CAJA Q/CARTON Q/BOX Q/KARTON	Q/PALET Q/PALLETTE Q/PALLET Q/PALETTE
2,5 x 2,5 cm 1" x 1"	9,5 kg 9,5 kg	9 9	33,3 x 33,3 cm 1 x 1 ft	2 m ² 21,52 sqft	108 m ² 1162,08 sqft
3,6 x 3,6 cm 1,42" x 1,42"	10,5 kg 10,5 kg	9 9	33,3 x 33,3 cm 1 x 1 ft	2 m ² 21,52 sqft	108 m ² 1162,08 sqft
5 x 5 cm 2" x 2"	14 kg 14 kg	10 10	31,5 x 31,5 cm 1 x 1 ft	1 m ² 10,76 sqft	60 m ² 645,6 sqft



TAMAÑO PANEL
MESURE PANNEAUX
SIZE SHEETS
AUSMAB DER TAFELN

EUROPEAN TEST DATA

PROCEDURE	RESULTS	PROCEDURE	RESULTS
UNE EN ISO 10.545-12		UNE EN ISO 10545-5	
Resistencia al hielo Frost resistance Résistance au gel Resistenza al gelo Frostbeständigkeit	Resistente Resistant Resistant Resistente Widerstandsfähig	Resistencia al impacto Resistance to shock Résistance à l'impact Resistenza all'urto Beständigkeit gegen Aufschlag	Resistente Resistant Resistant Resistente Widerstandsfähig
UNE EN ISO 10.545-13		UNE EN ISO 10545-7	
Resistencia a los agentes químicos Resistance to chemical attack Résistance aux produits chimiques Resistenza agli agenti chimici Beständigkeit gegen Chemikalien	Resistente Resistant Resistant Resistente Widerstandsfähig	Resistencia a la abrasión Abrasion wear Résistance à l'abrasion Resistenza all'abrasione Verschleissfestigkeit	Resistente Resistant Resistant Resistente Widerstandsfähig
UNE EN ISO 10.545-3		UNE EN ISO 10.545-9	
Absorción de agua Water absorption Absorption d'eau Assorbimento acqua Wasseraufnahme	Nula None Nul Null Null	Resistencia a los cambios de temperatura Resistance to thermal shock Résistance aux chocs thermiques Resistenza agli sbalzi di temperatura Temperaturwechselbeständigkeit	Resistente Resistant Resistant Resistente Widerstandsfähig
UNE EN ISO 10.545-14		UNE EN ISO 67.101	
Resistencia a las manchas Determination to Staining Résistance aux taches Resistenza alle macchie Beständigkeit gegen Flecke	Resistente Resistant Resistant Resistente Widerstandsfähig	Dureza mohs Mohs' Hardness Dureté de la surface MOHS Durezza scala MOHS Oberflächenhärte	5 5 5 5 5
UNE - ENV 12633:2003 (CTE)			
		Resistencia al deslizamiento Slip resistance Résistance au glissement Resistenza allo scivolamento Rutschfestigkeit	Clase 3 Class 3 Classe 3 Classe 3 Klasse 3

UNITED STATES TESTS ATC (TILE COUNCIL OF NORTH AMERICA)

PROCEDURE	RESULTS	PROCEDURE	RESULTS
ASTM C1378		MOHS' SCRATCH HARDNESS	
Determination to Staining	Passes	Hardness	5
ASTM C650		ASTM C373	
Resistance to Chemical Substances	Resistant	Water Absortion Bulk Density Porosity	Null


Natura



2,5 x 2,5 cm
1" x 1"



3,6 x 3,6 cm
1,42" x 1,42"




NT-01 DOLOMITAS




NT-02 URALES



NT-03 PIRINEOS



NT-04 ATLAS



NT-05 ROCOSAS

5 x 5 cm
2" x 2"



NT-06 ALPES



NT-07 APENINOS



NT-08 ANDES




NT-09 HIMALAYA



NT-10 CARPATOS

latura



3,6 x 3,6 cm
1,42 x 1,42"



NT-41 ARABIGO



NT-42 ADRIATICO




NT-43 MEDITERRANEO



NT-44 JONICO




NT-45 ROJO



NT-46 CANTABRICO



Natura



3,6 x 3,6 cm
1,42" x 1,42"



NT-47 NEGRO



NT-48 TIRRENO



NT-49 BALTICO



NT-50 BERING



NT-51 EGEO



NT-52 TIMOR



Piscinas y Decoraciones Lucena S.L.

Piscinas y Decoraciones Lucena S.L.
Polígono Industrial Urtinsa
C/ Artesanos, 7
C.P. 28923
Alcorcón - Madrid
Telf.: 91 619 43 18 // 91 643 17 40
Fax: 91 619 43 18
E-mail: lucena@nauta.es